

# **mysql driver manual**

**A libdbi driver providing connectivity to MySQL  
databases using libmysqlclient.**

**Mark Tobenkin**

**`mmt@users.sourceforge.net`**

# **mysql driver manual: A libdbi driver providing connectivity to MySQL databases using libmysql-client.**

by Mark Tobenkin

Permission is granted to copy, distribute and/or modify this document under the terms of the *GNU Free Documentation License*, Version 1.1 or any later version published by the Free Software Foundation; with no Invariant Sections, with no Front-Cover Texts, and with no Back-Cover Texts. A copy of the license is included in Appendix A.

## Revision History

Revision 0.4 2005-07-15

Revision 0.3 2003-4-12

Revision 0.2 2003-2-4

Revision 0.1 2002-11-5

# Table of Contents

<b>Preface.....</b>	<b>iv</b>
<b>1. Introduction.....</b>	<b>1</b>
<b>2. Installation .....</b>	<b>2</b>
2.1. Prerequisites .....	2
2.2. Build and install the mysql driver .....	2
<b>3. Driver options.....</b>	<b>4</b>
<b>4. Peculiarities you should know about .....</b>	<b>6</b>
4.1. MySQL (mis)features.....	6
<b>A. GNU Free Documentation License.....</b>	<b>7</b>

# Preface

libdbi (<http://libdbi.sourceforge.net>) is a database abstraction layer written in C. It implements a framework that can utilize separate driver libraries for specific database servers. The libdbi-drivers (<http://libdbi-drivers.sourceforge.net>) project provides the drivers necessary to talk to the supported database servers.

This manual provides information about the MySQL driver. The manual is intended for programmers who write applications linked against libdbi and who want their applications to work with the MySQL driver.

Questions and comments about the MySQL driver should be sent to the libdbi-drivers-devel (<mailto:libdbi-drivers-devel@lists.sourceforge.net>) mailing list. Visit the libdbi-drivers-devel list page (<http://lists.sourceforge.net/lists/listinfo/libdbi-drivers-devel>) to subscribe and for further information. Questions and comments about the libdbi library should be sent to the appropriate libdbi mailing list.

The MySQL driver is maintained by Mark Tobenkin (<mailto:mmt@users.sourceforge.net>).

# Chapter 1. Introduction

MySQL (<http://www.mysql.org>), as of the time of this document's writing, is one of the fastest growing database systems worldwide. With approximately 4 million installations, and 30,000 daily downloads, the server has found a niche in the website development community. Quick deployment and ease of use are among its assets.

# Chapter 2. Installation

This chapter describes the prerequisites and the procedures to build and install the mysql driver from the sources.

## 2.1. Prerequisites

The following packages have to be installed on your system:

### libdbi

This library provides the framework of the database abstraction layer which can utilize the MySQL driver to perform database operations. The download page as well as the mailing lists with bug reports and patches are accessible at [sourceforge.net/projects/libdbi](http://sourceforge.net/projects/libdbi) (<http://sourceforge.net/projects/libdbi>). The current version of the MySQL driver requires libdbi version 0.8.x.

### libmysqlclient

This library implements the client API for MySQL programs. Find the most recent release at [www.mysql.org](http://www.mysql.org) (<http://www.mysql.org>). The current version of the mysql driver was tested with MySQL version 4.1.10a, and it should work with other 4.x releases.

## 2.2. Build and install the mysql driver

First you have to unpack the libdbi-drivers archive in a suitable directory. Unpacking will create a new subdirectory `libdbi-drivers-X.Y` where "X.Y" denotes the version:

```
$ tar -xzf libdbi-drivers-X.Y.tar.gz
```

The libdbi-drivers project consists of several drivers that use a common build system. Therefore you *must* tell configure explicitly that you want to build the mysql driver (you can list as many drivers as you want to build):

```
$ cd libdbi-drivers
```

```
$ ./configure --with-mysql
```

Run `./configure --help` to find out about additional options.

Then build the driver with the command:

```
$ make
```

**Note:** Please note that you may have to invoke **gmake**, the GNU version of make, on some systems.

Then install the driver with the command (you'll need root permissions to do this):

```
$ make install
```

To test the operation of the newly installed driver, use the command:

```
$ make check
```

This command creates and runs a test program that performs a few basic input and output tests. The program will ask for an administrator username and password. This user can be any user who has database creation privileges. Be sure to provide the name of a database which does not already exist (avoid 'test' which is used on many systems).

**Note:** If for some reason you need to re-create the autoconf/automake-related files, try running `./autogen.sh`. I've found out that the current stable autoconf/automake/libtool versions (as found in FreeBSD 4.7 and Debian 3.0) do not cooperate well, so I found it necessary to run the older autoconf 2.13. If necessary, edit `autogen.sh` so that it will catch the older autoconf version on your system.

# Chapter 3. Driver options

Your application has to initialize libdbi drivers by setting some driver options with the `dbi_conn_set_option()` and the `dbi_conn_set_option_numeric()` library functions. The mysql driver supports the following options:

host

The hostname or IP address of the MySQL database server. Use an empty string or "localhost" to connect to a MySQL server running on the local machine.

port (numeric)

The port used to remotely connect to the MySQL database server over TCP. Use "0" (zero) to accept the default socket.

username

The name of the user accessing the database.

password

The password of the user accessing the database.

dbname

The name of the database used for the initial connection. If your program must be able to connect to a fresh MySQL installation, use the system database `mysql`.

encoding

The IANA name of a character encoding which is to be used as the connection encoding. Input and output data will be silently converted from and to this character encoding, respectively. The list of available character encodings depends on your local MySQL installation. If you set this option to "auto", the connection encoding will be the same as the default encoding of the database.

mysql\_include\_trailing\_null (numeric)

This item will tell the driver whether or not to include trailing null values (`'\0'`) at the end of binary strings. This applies to the types BLOB, MEDIUMBLOB, LARGEBLOB etc. A numeric value of 0 will tell the driver to leave off the NULL value. A value of 1 will tell the driver to include the trailing NULL character.

mysql\_unix\_socket

The filename of the Unix socket used to connect to a MySQL database server running on the local machine. Provide an empty string to use the default socket.

mysql\_client\_compress (numeric)

A value larger than zero causes the client/server communication to be compressed. Set this to zero to use no data compression.



`mysql_client_found_rows` (numeric)

A value larger than zero causes the server to return the number of matched rows, not the number of affected rows.

`mysql_client_ignore_space` (numeric)

A value larger than zero causes the server to accept spaces after function names.

`mysql_client_interactive` (numeric)

A value larger than zero causes the client/server communication to use `interactive_timeout` instead of `wait_timeout` before closing an inactive connection.

`mysql_client_local_files` (numeric)

A value larger than zero enables LOAD DATA LOCAL handling.

`mysql_client_multi_statements` (numeric)

A value larger than zero causes server to accept multiple SQL statements in a single string, separated by semicolons (requires MySQL 4.1 or later).

`mysql_client_multi_results` (numeric)

A value larger than zero tells the server that the client can handle multiple result sets from multiple statements. This flag is automatically set if you use `mysql_client_multi_statements` (requires MySQL 4.1 or later).

`mysql_client_no_schema` (numeric)

A value larger than zero tells the server not to accept the `db_name.tbl_name.col_name` syntax..

`mysql_client_odbc` (numeric)

A value larger than zero causes the server to behave more ODBC-friendly.

# Chapter 4. Peculiarities you should know about

This chapter lists known peculiarities of the mysql driver. This includes MySQL features that differ from what you know from the other database servers supported by libdbi, and it includes features and misfeatures introduced by the mysql driver. It is the intention of the driver author to reduce the number of misfeatures in future releases if possible.

## 4.1. MySQL (mis)features

- To allow for row seeking, results are loaded into memory. This is very inefficient and may provide a bottleneck for large applications.
- DATETIME, TIMESTAMP, DATE and TIME are all treated as the DBI type DATETIME. This is currently a string, but will change in later releases.
- The DECIMAL type is treated as a string, as it has arbitrary precision.

# Appendix A. GNU Free Documentation License

Version 1.1, March 2000

Copyright (C) 2000 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## 0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other written document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

## 1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you".

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (For example, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, whose contents can be viewed and edited directly and straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup has

been designed to thwart or discourage subsequent modification by readers is not Transparent. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML designed for human modification. Opaque formats include PostScript, PDF, proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

## 2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

## 3. COPYING IN QUANTITY

If you publish printed copies of the Document numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a publicly-accessible computer-network location containing a complete Transparent copy of the Document, free of added material, which the general network-using public has access to download anonymously at no charge using public-standard network protocols. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

## 4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has less than five).
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.
- I. Preserve the section entitled "History", and its title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
- K. In any section entitled "Acknowledgements" or "Dedications", preserve the section's title, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- M. Delete any section entitled "Endorsements". Such a section may not be included in the Modified Version.
- N. Do not retitle any existing section as "Endorsements" or to conflict in title with any Invariant Section.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

## 5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections entitled "History" in the various original documents, forming one section entitled "History"; likewise combine any sections entitled "Acknowledgements", and any sections entitled "Dedications". You must delete all sections entitled "Endorsements."

## 6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

## 7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, does not as a whole count as a Modified Version of the Document, provided no compilation copyright is claimed for the compilation. Such a compilation is called an "aggregate", and this License does not apply to the other self-contained works thus compiled with the Document, on account of their being thus compiled, if they are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one quarter of the entire aggregate, the Document's Cover Texts may be placed on covers that surround only the Document within the aggregate. Otherwise they must appear on covers around the whole aggregate.

## 8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License provided that you also include the original English version of this License. In case of a disagreement between the translation and the original English version of this License, the original English version will prevail.

## 9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

## 10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

Copyright (c) YEAR YOUR NAME. Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.1 or any later version published by the Free Software Foundation; with the Invariant Sections being LIST THEIR TITLES, with the Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST. A copy of the license is included in the section entitled "GNU Free Documentation License".

If you have no Invariant Sections, write "with no Invariant Sections" instead of saying which ones are invariant. If you have no Front-Cover Texts, write "no Front-Cover Texts" instead of "Front-Cover Texts being LIST"; likewise for Back-Cover Texts.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.